



Addendum No. 3

Date: October 27, 2017
City Project: 14-25, "East Monte Vista Avenue Rehabilitation"

Plan holders:

The following changes and notations shall be made to the project plans and specifications:

Project Plans

1. Sheet 10, "GRADING, DRAINAGE, AND OVERLAY PLAN"

Replace Sheet 10 issued at the time of advertisement and Addendum No. 1 with Sheet 10 attached to this Addendum No. 2.

The change to Sheet 10 from the addendum no. 1 version made with this addendum no. 2 is changing the text for the note pointing to the driveway west of Radcliffe Way "INSTALL ALLEY APPROACH PER CITY STANDARD DWG. NO. C-7." The city standard detail c-7 is included as an attachment to this addendum.

Project Specifications:

2. Notice to Contractors

Replace paragraph one with the following text:

Sealed proposals will be received by the City Engineer of the City of Turlock, Development Services/Engineering Division, 156 S. Broadway, Suite 150, Turlock, California 95380, until 2:00 PM on Tuesday, November 7, 2017, for:

**City Project No. 14-25
East Monte Vista Avenue Rehabilitation
STPL-5165(082)**

3. Proposal

Replace sentence number one of paragraph one on page 6 with the following text:

The bidder shall provide a complete proposal in a sealed envelope before 2:00 PM on November 7, 2017 at the address shown on the cover sheet of these specifications. FAILURE TO PROVIDE ALL THE REQUIRED DOCUMENTS LISTED IN THE TABLE BELOW MAY CAUSE THE PROPOSAL TO BE CONSIDERED NON-RESPONSIVE.

4. Proposal, Bidder's Form

Replace the bidder's form issued at the time of advertisement and with Addendum No. 1 with the attached Bidder's Form (ver. 10/27/2017).

The changes to the Bidder's Form from Addendum No. 1 is the adjustment to the bid opening date as well as a change to the name of bid item no. 9 to conform with the driveway style to be installed east of Radcliffe Way (alley approach).

5. Proposal Section 4.02, "Notice to Proceed"

Replace sentence number one of paragraph one with following text:

The anticipated award of the contract is December 12, 2017.

If you have any questions, please call me at (209) 668-5417 or email at sfremming@turlock.ca.us.

Sincerely,



Stephen Fremming, P.E.
Associate Civil Engineer

Attachments: Bidder's Form (VER. 10/27/17 ADD. #3)
City Standard Drawing C-7, "Alley Approach"
Sheet 10 dated 10/27/2017 (ADDENDUM NO. 3)

BIDDER'S FORM

PROJECT TITLE: East Monte Vista Avenue Rehabilitation
CITY PROJECT NUMBER: 14-25
FEDERAL PROJECT NUMBER: STPL-5165(082)
OPENING DATE: November 7, 2017
OPENING TIME: 2:00 PM
AGENCY: 5165 (City of Turlock)

Item No.	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Total
1	Mobilization and Demobilization	LS	1		
2	Traffic Management Plan	LS	1		
3	Erosion and Sediment Control Plan and Implementation	LS	1		
4	Construction Project Sign	EA	2		
5	Demo and Remove Existing Improvements	LS	1		
6	Earthwork	LS	1		
7	Minor Concrete (Curb and Gutter)	LF	857		
8	Minor Concrete (Sidewalk)	SF	4147		
9	Minor Concrete (Alley Approach)	SF	250		
10	Access Ramp	EA	22		
11	Grinding (Cold Plane Method)	SY	36666		
12	Aggregate Base	CY	396		
13	Hot Mix Asphalt (3" depth, bottom lift)	TN	222		
14	RHMA-G (2" depth overlay)	TN	5764		
15	Temporary Pavement Striping	LS	1		
16	Raise frame and cover to grade (sewer manhole)	EA	26		
17	Raise frame and cover to grade (storm manhole)	EA	3		
18	Raise frame and cover to grade (water valve)	EA	49		
19	Install Monument Well	EA	10		
20	Traffic Signal Modification (protected left turns)	LS	1		
21	Traffic Signal Detector System	LS	1		
22	Accessible Pedestrian Signal Button	EA	16		
23	Traffic Signal conduits and boxes at Fosberg Rd.	LS	1		
24	Detail 10	LF	8807		
25	Detail 23	LF	462		
26	Detail 25	LF	3871		
27	Detail 30	LF	33		
28	Detail 33	LF	3737		
29	Detail 38	LF	589		

30	Detail 39	LF	8050		
31	Thermoplastic Pavement Markings	SF	642		
32	Thermoplastic Traffic Stripe (12" White)	LF	234		
33	Thermoplastic Crosswalk (24" Yellow)	SF	2545		
34	Thermoplastic Crosswalk (24" White)	SF	6233		
Subtotal					

Bidder has examined and carefully studied the Bidding documents and other related data identified in the Bidding Documents and the following Addenda, receipt of which is hereby acknowledged


ADDENDA

No. _____	Date _____	Signed _____
No. _____	Date _____	Signed _____
No. _____	Date _____	Signed _____
No. _____	Date _____	Signed _____
No. _____	Date _____	Signed _____

TOTAL BID WRITTEN IN FIGURES: \$ _____, _____, _____ . _____

TOTAL BID WRITTEN IN WORDS: _____

CONTRACTOR NAME: _____



NOTES:

1. COMMERCIAL ALLEYS SHALL HAVE A SLOPE OF 1% MIN. AND A CROSS SLOPE OF 2% MAX.
2. ALL ALLEY APPROACHES SHALL HAVE A MINIMUM THICKNESS OF 7~1/2".
3. ALL CONCRETE WORK SHALL BE IN ACCORDANCE WITH STANDARD SPECIFICATIONS.
4. GUTTER FLOW LINE & VALLEY GUTTER SHALL BE WATER TESTED FOR FLOW.
5. FINISH GRADE AT BACK OF DRIVEWAY SHALL MATCH ALLEY PAVEMENT.
6. WEAKENED PLANE JOINT SHALL BE 1~1/2" MIN. DEPTH AND 1/8" MAX. WIDTH.

ALLEY APPROACH

CITY OF TURLOCK



DRAWN BY: JSH

CHECK BY: NBB

SCALE: NONE

APPROVED BY:

CITY ENGINEER - MICHAEL G. PITCOCK - RCE 52694


DRAWING NO.

C-7

COUNCIL APPROVAL


DEC, 2015

- KEY NOTES:**
- UTILITY FRAMES AND COVERS TO BE VERTICALLY ADJUSTED BY THE CONTRACTOR.
 - UTILITY FRAMES AND COVERS TO BE VERTICALLY ADJUSTED BY OTHERS.
 - REMOVE EXISTING MONUMENT WELL (IF APPLICABLE) AND INSTALL A MONUMENT WELL PER CITY STANDARDS DWG. M-1. CONFIRM TIE OUT OF MONUMENT IS COMPLETE BY CITY'S HIRED SURVEYOR PRIOR TO PAVING.



- NOTES:**
- BOTTOM LIFT AREAS OF DEEP LIFT AREAS SHALL BE PG 64-10 HOT MIX ASPHALT
 - ENTIRE THICKNESS OF DEEP LIFT AREAS SHALL BE PLACED PRIOR TO FINAL RHMA-G OVERLAY
 - CAT-TRACK STRIPING PRIOR TO PLACING TEMPORARY STRIPING AFTER PAVING OPERATIONS, CONSISTING OF STOP BARS, LANE LINES, CENTERLINES AND CROSSWALKS CONFORMING TO THE STRIPING PLANS
 - FINAL STRIPING SHALL BE PLACED 7 CALENDAR DAYS AFTER LAST PAVING DAY
 - RAISE ALL FRAMES AND COVERS TO GRADE. USE PG 64-10 HMA FOR PAVING AROUND FRAMES AND COVERS
 - IN AREAS WHERE COLD PLANE GRINDING IS NOT CALLED OUT, BUT IS CALLED OUT TO RECEIVE A HOT MIX ASPHALT OVERLAY, FILL CRACKS 3/8" OR WIDER, SPALLS, AND CHUCK HOLES WITH HOT MIX ASPHALT OF HMA. CONTRACTOR SHALL GRIND EXISTING RIDGES IN THE PAVEMENT THAT EXCEED 1/4" IN HEIGHT. THE EXISTING PAVEMENT SURFACE SHALL BE FREE OF VEGETATION, LOOSE PAVEMENT PARTICLES, DIRT, AND OTHER EXTRANEOUS MATERIAL PRIOR TO PAVING.

MONTE VISTA AVENUE
SCALE: 1"=30'



MONTE VISTA AVENUE
SCALE: 1"=30'



NOTE:
ALL REFERENCES AND WRITTEN DIMENSIONS SHALL SUPERCEDE ALL SCALED DISTANCES AND SHALL BE VERIFIED IN THE FIELD. ANY DISCREPANCY SHALL BE BROUGHT TO THE ATTENTION OF THE ENGINEER PRIOR TO THE COMMENCEMENT OF WORK.

M. G. Pitcock
MICHAEL G. PITCOCK, P.E.
DIRECTOR OF DEVELOPMENT SERVICES/CITY ENGINEER
10/27/17
PLANS APPROVAL DATE



CITY OF TURLOCK
DEVELOPMENT SERVICES
ENGINEERING DIVISION
156 S. BROADWAY, STE 150
(209) 668-5520

GRADING, DRAINAGE AND OVERLAY PLAN
MONTE VISTA AVENUE ~ BEGIN TO STA. 39+00
CAPITAL PROJECT NO. 14-25
EAST MONTE VISTA AVENUE REHABILITATION
ADDENDUM NO. 3

VERIFY SCALE
BAR IS 1" ON ORIGINAL DRAWING
1/4" 3/4" 1"
0 1/2"
IF NOT ONE INCH ON THIS SHEET, ADJUST SCALES ACCORDINGLY

DRAWN BY: AZ
REV. BY: --
CH. BY: SF
DATE: OCTOBER, 2017
SCALE: 1" = 30'
14-25 BASE_ADD 2.dwg

SHEET
10
OF **23**